

PHARMACOPŒIA  
OF THE  
Medical College Hospital,  
Calcutta.

(REVISED EDITION.)



CALCUTTA :  
BENGAL SECRETARIAT PRESS.

1912.

[*Price—Indian, 8 annas ; English, 9d.*]

Published by the BENGAL SECRETARIAT BOOK DEPÔT,  
Writers' Buildings, Calcutta.

OFFICIAL AGENTS.

*In India—*

MESSRS. THACKER, SPINK & Co., Calcutta and  
Simla.

MESSRS. NEWMAN & Co., Calcutta.

MESSRS. HIGGINBOTHAM & Co., Madras.

MESSRS. THACKER & Co., LD., Bombay.

MESSRS. A. J. COMBRIDGE & Co., Bombay.

THE SUPERINTENDENT, AMERICAN BAPTIST  
MISSION PRESS, Rangoon.

MRS. RADHABAI ATMARAM SAGOON, Bombay.

MESSRS. E. CAMBRAY & Co., Calcutta.

RAI SAHIB M. GULAB SINGH & SONS, Proprie-  
tors of the Mufid-i-am Press, Lahore, Punjab.

MESSRS. THOMPSON & Co., Madras.

MESSRS. S. MURTHY & Co., Madras.

MESSRS. GOPAL NARAYEN & Co., Bombay.

MESSRS. B. BANERJEE & Co, 25, Cornwallis  
Street, Calcutta.

MESSRS. S. K. LAHIRI & Co., Printers and Book-  
sellers, College Street, Calcutta.

MESSRS. V. KALYANARAMA IYER & Co., Book-  
sellers, &c., Madras.

MESSRS. D. B. TARAPOREVALA, SONS & Co.,  
Booksellers, Bombay.

MESSRS. G. A. NATESAN & Co., Madras.

MR. N. B. MATHUR, Superintendent, Nazir  
Khanum Hind Press, Allahabad.

THE CALCUTTA SCHOOL BOOK SOCIETY.

MR. SUNDER PUNDURANG, Bombay.

MESSRS. A. M. and J. FERGUSON, Ceylon

MESSRS. TEMPLE & Co., Madras.

MESSRS. COMBRIDGE & Co., Madras.

MESSRS. A. CHAND & Co., Lahore.

BABU S. C. TALUKDAR, PROPRIETOR, STUDENTS  
& Co., Cooch Behar.

MESSRS. RAMCHANDRA GOVIND AND SON,  
Book-sellers and Publishers, Kalvadevi, Bom-  
bay.

MESSRS. BUTTERWORTH & Co. (India), LD.,  
Calcutta.

OFFICIAL AGENTS—*concl'd.*

*In England—*

- MESSRS. CONSTABLE & Co., 10, Orange Street,  
Leicester Square, London, W. C.  
MESSRS. GRINDLAY & Co., 54, Parliament Street,  
London, S. W.  
MESSRS. KEGAN, PAUL, TRENCH, TRÜBNER &  
Co., 68-74, Carter Lane, London, E. C.  
MR. B. QUARITCH, 11, Grafton Street, New  
Bond Street, London, W.  
MESSRS. W. THACKER & Co., 2, Creed Lane,  
Ludgate Hill, London, E. C.  
MESSRS. P. S. KING & SON, 2 & 4, Great Smith  
Street, Westminster, London, S. W.  
MESSRS. H. S. KING & Co., 65 Cornhill, London,  
E. C.  
MR. B. H. BLACKWELL, 50-51 Broad Street,  
Oxford.  
MESSRS. DEIGHTON BELL & Co., Trinity St.,  
Cambridge.  
MR. T. FISHER UNWIN, 1, Adelphi Terrace,  
London, W. C.  
MESSRS. LUZAC & Co., 46, Great Russell Street,  
London, W. C.

*On the Continent—*

- MESSRS. R. FRIEDLÄNDER & SOHN, 11, Carl-  
strasse, Berlin, N. W. 6.  
MR. OTTO HARRASSOWITZ, Leipzig.  
MR. KARL HIERSEMANN, 29, Königsstrasse,  
Leipzig.  
MR. ERNEST LEROUX, Rue Bonaparte, Paris.  
MR. MARTINUS NIJHOFF, The Hague.

# HOSPITAL PHARMACOPŒIA.

(No. 1.)

## BALNEUM ALKALINUM.

Take of—

Carbonate of Sodium	..	8 ozs.
Water (90° to 95° F.)	...	30 gallons.

Dissolve.

Patient remains 20 minutes at first ; later he may remain for 45 minutes.

(For Chronic Constipation and Chronic Eczema.)

(No. 2.)

## BALNEUM GLUTINIS.

Take of—

Bran	..	5 lbs.
Barley water	...	2 gallons.

Mix and add water (90° to 95° F.)—to 30 gallons.

(No. 3.)

## BALNEUM SULPHURATUM.

Take of—

Sulphurated potash	...	8 ozs.
Water (90° to 95° F.)	...	30 gallons.

Dissolve.

(No. 4.)

## BALNEUM HYDRARGYRI.

Take of—

Calomel	...	.. $\frac{1}{2}$ dr.
---------	-----	----------------------

Volatilize beside  $\frac{1}{2}$  pint of water for 20 minutes in a Lee's lamp.

(No 5.)

## CARBASUS HYDRARGYRI ET ZINCI CYANIDI.

(CYANIDE GAUZE.)

Take of--

Solution of Corrosive Sublimate (1 in 4,000), a sufficiency.

Double Cyanide of Mercury and Zinc, a quantity equal to 3% the weight of the gauze to be prepared.

Diffuse the double Cyanide in the solution which is then to be placed in a wooden trough provided with a cross bar near the bottom. The gauze is then to be drawn in folds through the trough and beneath the bar. Squeeze out superfluous fluid and dry the cloth.

## (No. 6.)

CARBASUS HYDRARGYRI PERCHLORIDI.

(SUBLIMATE GAUZE.)

Take of—

Solution of Corrosive Sublimate (1 in 5,000), a sufficiency.

Tinge with colouring matter; soak the selected cloth, which has been deprived of its starch, thoroughly in the solution and hang up to dry.

## (No. 7.)

COLLUNARIUM SODII CHLORIDI COMPOSITUM.

Take of—

Sodium Chloride	... 12 grs.
Borax	.. 12 ..
Sodium Bicarbonate	... 12 ..
Refined Sugar	... 24 ..

Dissolve in 5 ozs. of water at 100° F., and inject along the floor of each nostril, night and morning.

## (No. 8.)

CONFECTIO SULPHURIS.

Take of—

Sublimed Sulphur	.. 200 grs.
Acid Tartrate of Potassium	... 50 ..
Treacle by weight	... to 1 oz.

Mix: Dose—1 to 2 drs.

(No. 9.)

## DECOCTUM KURCHI.

Take of—

Kurchi Bark	...	3 ozs.
Water	...	to 1½ pints.

Boil to 1 pint: Dose— 1 to 2 ozs.

(No. 10.)

## ENEMA AMYLI ET OPII.

Take of—

Tincture of opium	...	½ fl. dr.
Starch Mucilage	...	to 2 ozs.

Mix.

(No. 11.)

## ENEMA ASAFŒTIDÆ ET OL RICINI.

Take of—

Asafœtida	...	30 grs.
Mucilage	...	1 oz.
Castor-oil	...	1 „
Tepid Water	...	to 1 pint.

Mix.

## (No. 12.)

## ENEMA PLUMBI CUM OPIO

Take of

Tincture of Opium	...	20 minims.
Acetate of Lead	...	9 grs.
Dilute Acetic Acid	...	15 minims.
Water	...	3 ozs

## (No. 13.)

## ENEMA SAPONIS.

Take of -

Soap	...	4 drs.
Water	..	... 20 ozs

Dissolve.

## (No. 14.)

## FOTUS ACIDUS.

Take of -

Diluted Nitro-Hydrochloric Acid	...	...	$\frac{1}{2}$ oz.
Water	...	...	10 ozs.

Mix. Soak a piece of spongiopiline in the fluid and wring out. Apply securely with a flannel bandage. Change morning and evening.



## (No. 15)

## FOTUS BELLADONNÆ.

Take of—

Tincture of Belladonna	...	1 dr.
Boiling water	...	2 fl. ozs.

Mix.

## (No. 16)

## FOTUS PAPA VARIS.

Take of—

Poppy capsules	...	1 oz.
Boiling water	...	20 ozs.

Boil 15 minutes and strain.

## (No. 17.)

## GARGARISMA CHLORINI.

Take of—

Diluted	Hydrochloric	
Acid	...	1 fl. dr.
Chlorate of	Potash	1 dr.
Water	...	to 8 ozs.

(No. 18)

## GARGARISMA ACIDI CARBOLICI.

Take of—

Carbolic Acid	...	30 grs
Glycerin	...	$\frac{1}{2}$ oz.
Water	...	to 10 ozs.

Dissolve.

(No. 19.)

## GARGARISMA ACIDI CARBOLICI COMPOSITA.

Take of—

Carbolic Acid	...	1 dr.
Hydrochlorate of Cocaine	...	8 grs.
Glycerin of Borax	...	$\frac{1}{2}$ fl. oz.
Water	...	to 12 ozs.

Mix.

(No. 20.)

## GARGARISMA ACIDI TANNICI.

Take of—

Tannic Acid	...	1 dr.
Water	...	8 ozs.

Dissolve.

## (No. 21.)

## GARGARISMA ALUMINIS COMPOSITA.

Take of—

Alum in powder	...	10 grs.
Tincture of Myrrh	...	15 minims.
Water ..	...	1 fl. oz.

Dissolve.

## (No. 22 )

## GARGARISMA CAPSICI.

Take of—

Glycerin	of	Carbolic	
Acid	...	...	3 drs.
Tannic Acid	..	..	2 ..
Tincture of Capsicum	.	.	1 dr.
Diluted Sulphuric Acid	...	1	..
Water	...	...	to 10 ozs

## (No. 23.)

## GARGARISMA POTASSII CHLORATIS.

Take of—

Chlorate of Potassium	...	10 grs.
Boiling water	...	to 1 fl. oz.

Dissolve.

## (No. 24.)

## GLYCERINUM PERRI PERCHLORIDI.

Take of—

olution of Perchloride of

Iron	..	..	4 drs.
Glycerin	..	...	1½ „
Water	...	...	to 1 oz.

Mix.

## (No. 25.)

## GLYCERINUM CUPRI SULPHATIS.

Take of—

Sulphate of Copper	...	20 grs.
Glycerin	...	1 fl. oz.

Mix.

## (No. 26.)

## GLYCERINUM BELLADONNÆ.

Take of—

Green Ext. of Belladonna	2 drs.
Glycerin	... to 4 fl. drs.

## (No 27.)

## GLYCERINUM IODOFORMI.

Take of—

Iodoform	...	60 grs.
Glycerin	...	to 4 fl. drs.

Dissolve.

## (No. 28.)

## GUTTÆ ARGENTI NITRATIS.

 $(\frac{1}{2} - 9 \text{ p.c.})$ 

Take of—

Nitrate of Silver	...	2 or 10 grs.
Distilled water	...	1 fl. oz.

Mix.

## (No. 29.)

## GUTTÆ ATROPINÆ SULPHATIS.

 $(\frac{1}{2} - 1 \text{ p.c.})$ 

Take of—

Atropine Sulph	...	2—4 grs
Distilled water	...	to 1 oz.

Dissolve. (Boric acid 2 grs. may be added, if desired.)

## (No. 30.)

## GUTTÆ AURIBUS No. 1.

*(Ear drops.)*

Take of—

Acetate of lead	...	1 gr
Tincture of Opium	...	1 dr.
Glycerin	...	1 "
Water	...	to 1 oz

(No. 31.)

GUTTÆ AURIBUS No. 2.

*(Ear drops.)*

Take of—

Perchloride of Mercury	2 grs.
Alcohol (90 per cent.)	... 6 drs
Water	... .. to 3 ozs.

Mix.

(No. 32.)

GUTTÆ COCAINÆ HYDROCHLORATIS.

Take of—

Hydrochlorate of Cocaine	4-10-20 grs.
Distilled water	.. to 1 fl. oz.

Dissolve.

(No. 33.)

GUTTÆ DENTIBUS.

*(Toothache drops.)*

Take of—

Oil of Cloves	... ½ fl. dr.
Ether	... 1½ drs.
Tincture of Opium	... 2 „
Glycerin	... 2 „

Mix.

## (No. 34.)

## GUTTÆ PHYSOSTIGMINÆ SULPHATIS.

Take of—

Sulphate of Esternie	...	2 grs.
Distilled water	...	to fl. oz.

Dissolve.

## (No. 35.)

## HAUSTUS CHLORAL ET POTASSII BROMIDI.

Take of—

Hydrate of Chloral	...	15 grs.
Bromide of Potassium	...	15 „
Spirit of Chloroform	...	15 minims.
Camphor water	...	to 1 fl. oz.

Mix.

## (No. 36.)

## HAUSTUS IPECAC ET CHLORAL HYDRATIS.

Take of—

Powdered Ipecacuanha	...	20 grs.
Hydrate of Chloral	...	20 „
Solution of Hydrochloride of Morphine	...	10 minims.
Mucilage	...	a sufficient quantity.
Water	...	to 1 fl. oz.

Triturate and mix.

## (No. 37.)

## HAUSTUS MAGNESII SULPHATIS.

Take of—

Sulphate of Magnesia	...	2 drs.
Carbonate of Magnesia	...	20 grs.
Peppermint water	...	to 1 fl. oz.

## (No. 38.)

## HAUSTUS MORPHINÆ HYDROCHLORIDI.

Take of—

Solution of Hydrochloride of Morphine	...	30 minims.
Water	...	to 1 fl. oz.

Mix.

## (No. 39.)

## HAUSTUS RHEI COMPOSITUS.

Take of—

Rhubarb in powder	...	20 grs.
Carbonate of Magnesia	...	20 „
Aromatic Spirit of Ammo- nia	...	20 minims.
Peppermint water	...	to 1 fl. oz.



(No. 40)

## HAUSTUS OL TEREBINTHINE.

Take of—

Oil of Turpentine	...	20 minims.
Mucilage	...	2 drs.
Caraway water	...	to 1 fl. oz.

Triturate the mucilage first with oil and then with water added gradually.

(No. 41.)

## INJECTIO ALUMINIS ET ZINCI.

Take of—

Alum	...	2 drs.
Sulphate of Zinc	...	2 scruples.
Water	...	20 ozs.

(No. 42.)

## INJECTIO APOMORPHINÆ HYPODERMICA.

Take of—

Hydrochloride of Apomor-		
phine	...	2 grs.
Camphor water	...	100 minims.
Diluted Hydrochloric		
Acid	...	2

Dissolve and filter.

# 15

(No. 43.)

## INJECTIO ARGENTI NITRATIS.

Take of—

Nitrate of Silver	...	1 gr.
Distilled water	..	1 oz.

Dissolve.

(No. 44.)

## INJECTIO QUININÆ INTRAVENOSA.

Take of—

Acid Hydrochloride of		
Quinine ...		15 grs.
Sodium Chloride	...	11½ „
Distilled water	...	150 minims.

Mix. Sterilize by boiling. Cool and inject.

(No. 45 )

## INJECTIO QUININÆ HYPODERMICA.

Take of—

Acid Hydrochloride of		
Quinine ...	...	7½ grs.
Distilled water	...	to 20 minims.

Mix.

# 16

(No. 46.)

## INJECTIO PLUMBI.

Take of—

Acetate of Lead	...	16 grs.
Water	...	to 4 ozs.

Dissolve.

(No. 47.)

## INJECTIO PLUMBI ET ZINCI CUM OPIO.

Take of—

Acetate of Lead	...	15½ grs.
Zinc Sulphate	...	7½ „
Tincture of Opium	...	31 minims.
Distilled water	...	1 oz.

Mix and dissolve.

(No. 48.)

## INJECTIO POTASSII PERMANGANATIS.

Take of—

Solution of Permanganate of Potash	...	12 minims.
Water	...	1 oz.

Mix.

(No. 49.)

INJECTIO SALINA HYPODERMICA VEL. INTRAVE  
NOSA VEL ENEMA.

Take of—

Sodium Chloride	... 15	grs.
Sodium Sulphate	... 15	„
Sterilized water	... 1	pint.

Dissolve.

(No 50.)

## LAPIS DIVINUS.

Take of—

Sulphate of Copper	.. 1	part.
Alum in powder	... 1	„
Nitrate of Potassium	... $\frac{1}{5}$	of the three to- gether.

Fuse together and run into moulds to form  
sharp-pointed sticks.

(No. 51.)

## LINCTUS PAREGORIC.

Take of—

Compound Tincture of	} equal parts.
Camphor	
Oxymel of Squill	
Syrup of Tolu	...

Mix: Dose—1 dr.

(No. 52.)

## LINCTUS CODEINÆ.

Take of—

Codeine	...	...	2 grs.
Syrup of Tolu	...	...	1 oz.

Dissolve : Dose—1 dr. to 1 oz.

(No. 53.)

## LINCTUS MORPHINÆ ET CHLOROFORMI

Take of—

Solution of Hydrochloride of Morphine	...	24 minims.
Chloroform	...	8 "
Rectified Spirit of Wine	72	"
Glycerin	...	to 1 fl oz.

Mix : Dose—1 dr.

(No. 54.)

## LINCTUS OPII.

Take of—

Tincture of Opium	...	33 minims.
Diluted Sulphuric Acid	...	30 "
Treacle	...	6 drs.

Mix. Dose—1 dr.

## (No. 55.)

## LINIMENTUM AMMONIÆ COMPOSITUM.

Take of—

Oil of Turpentine	...	10 drs.
Strong solution of Ammonia	4	„
Soft Soap	...	5 „
Camphor	...	80 grs.
Rectified of Spirits Wine	2	drs.
Water	...	to 10 ozs.

Mix.

## (No. 56.)

## LINIMENTUM CAMPHORÆ.

Take of—

Camphor	...	20 grs.
Mustard oil	...	to 1 fl. oz.

Dissolve.

## (No. 57.)

## LINIMENTUM CAMPHORÆ CUM OPIO.

Take of—

Camphor Liniment	...	6 drs.
Opium	„	2 „

Mix.

(No. 58.)

## LINIMENTUM OL TEREBINTHINÆ.

Take of—

Oil of Turpentine	...	1½ oz.
Soap Liniment	...	1½ „

Mix.

(No. 59.)

## LIQUOR ACIDI SALICYLICI ET COLLODII.

Take of—

Salicylic Acid	...	45 grs.
Ext. of Indian hemp	...	5 „
Collodion	...	2 fl. drs.

(No. 60.)

## LOTIO ACIDI BORICI.

Take of—

Boric Acid	...	20 grs.
Water	..	to 1 fl. oz.

(No. 61.)

## LOTIO ACIDI CARBOLICI.

Take of—

(a) 1 in	...	120
(b) 1 in	...	40
(c) 1 in	...	20 of water.

(No. 62.)

## LOTIO ALUMINS.

Take of—

Alum	...	...	5 grs.
Water	...	...	to 1 fl. oz.

Dissolve.

(No. 63.)

## LOTIO ARGENTI NITRATIS No. 1.

Take of—

Nitrate of Silver	...	2 grs.
Distilled water	...	to 1 fl. oz.

(No. 64.)

## LOTIO ARGENTI NITRATIS No. 11.

Take of—

Nitrate of Silver	...	10 grs.
Distilled water	...	to 1 fl. oz.

(No. 65.)

## LOTIO ARGENTI NITRATIS No. 111.

Take of—

Nitrate of Silver	...	30 grs.
Distilled water	...	to 1 fl. oz.



(No. 66)

## LOTIO AMMONII CHLORIDI.

*(Evaporating Lotion)*

Take of—

Chloride of Ammonium	...	1 oz.
Alcohol (90 per cent.)	...	1 „
Vinegar	...	1 „
Water	...	10 ozs.

Mix.

(No. 67.)

## LOTIO BORACIS ET GLYCERINI.

Take of—

Borax	...	1 dr.
Glycerin	...	1 „
Camphor water	...	to 8 ozs.

Dissolve &amp; Mix.

A little Carbonate of Ammonium or Bicarbonate of Sodium and Hydrocyanic Acid or Morphine may be sometimes added with advantage.

(No. 68.)

## LOTIO CALAMINÆ COMPOSITUS.

Take of—

Prepared Calamine	...	$\frac{1}{2}$ oz.
Oxide of Zinc	...	$\frac{1}{2}$ „
Glycerin	... ..	1 dr.
Solution of Subacetate of lead	... ..	2 drs.
Lime water	... ..	2 ozs.

Dissolve and Mix. (Diluted to  
any strength if required).

(No. 69.)

## LOTIO CALCII CUM OLEO.

*(Carron Oil.)*

Take of—

Carbolic Acid	...	10 minims.
Lime water	... ..	2 ozs.
Linseed oil	... ..	2 „

Mix well.

(No. 70.)

## LOTIO CAPILLARIS.

Take of—

Tincture of Cantharides ..	$\frac{1}{3}$ dr.
Strong solution of Ammo-	
nia ... ..	$\frac{1}{2}$ "
Glycerin ... ..	$\frac{1}{2}$ "
Water ..	to 1 oz.

Mix.

(No. 71.)

LOTIO HYDRARG. PERCHLORIDI ET  
TEREBINTHINÆ.*(Ringworm Lotion.)*

Take of—

Corrosive Sublimate ...	6 grs.
Oil of Turpentine ...	2 ozs.
Camphor ... ..	20 grs.
Rectified Spirits of Wine	2 ozs.

Dissolve.

(No. 72.)

## LOTIO IZAL.

Take of—

Izal ... ..	1 oz.
Water ... ..	50 ozs.

Mix.

(No. 73 )

## LOTIO FORT. IZAL.

Take of—

Izal	...	...	$\frac{1}{2}$ oz.
Water	...	...	to 20 oz.

Mix.

(No. 74 )

## LOTIO PLUMBI.

Take of—

Solution of Subacetate of			
Lead	...	..	2 drs.
Water	...	...	1 pint.

Mix.

(No. 75.)

## LOTIO PLUMBI CUM OPIO.

Take of—

Liquid extract of Opium	2 $\frac{1}{2}$ drs.
Lead Lotion	... $\frac{1}{2}$ pint.

Mix.

## 26

(No. 76.)

## LOTIO RUBRA.

Take of—

Sulphate of Zinc	2 grs.
Compound Tincture of	
Lavender ..	... 5 minims.
Water ..	.. to 1 oz.

Dissolve and mix.

(No. 77.)

## LOTIO SODII BICARBONATIS.

Take of—

Bicarbonate of Sodium ...	1 dr.
Glycerin ...	.. 1 "
Water ...	... to 8 oz.

Mix.

(No. 78.)

## LOTIO ZINCI SULPHATIS.

*(Drops and injection of the same strength.)*

Take of—

Sulphate of Zinc	... 2 grs.
Water ...	... to $\frac{1}{4}$ oz.

Dissolve.

## (No. 79.)

MISTURA ACIDI NITRO-HYDROCLORICI ET  
CINCHONÆ

Take of—

Diluted Nitro Hydro-		
chloric Acid	... 10 minims.	
Decoction of Cinchona	... to 1 oz.	

Mix.

## (No. 80.)

## MISTURA ACIDI HYDROCYANICI.

Take of—

Diluted Hydrocyanic		
Acid	... 3 minims.	
Bicarbonate of Soda	... 5 grs.	
Water	... to 1 oz.	

Mix.

## (No. 81.)

## MISTURA NUCIS VOMICÆ CUM ACIDO.

Take of —

Diluted Nitro Hydro-		
chloric Acid	... 10 minims.	
Liquid Extract of Nux		
Vomica	... 1 minim.	
Compound Tincture of		
Gentian	... 1 dr.	
Water	... to 1 oz.	

(No. 82.)

## MISTURA ACIDI SULPHORICI ET OPII.

*(Acid Astringent Mixture.)*

Take of—

Diluted Sulphuric Acid	15 minims
Tincture of Opium	... 5 „
Peppermint water	... to 1 oz.

Mix.

(No. 83.)

## MISTURA ÆTHERIS ET AMMONIA.

*(Stimulant Mixture.)*

Take of—

Spirit of Ether	... 20 minims.
Aromatic Spirit of Ammonia	... 20 „
Spirit of Chloroform	... 20 „
Peppermint water	... to 1 oz.

Mix.

(No. 84.)

## MISTURA AMMONII ACETATIS COMPOSITA.

*(Mist. Febris.)*

Take of—

Solution of Acetate of	
Ammonia	... 2 drs.
Spirit of Nitrous Ether	... 15 minims.
Camphor water	... to 1 oz.

Mix.

(No. 85.)

## MISTURA AMMONII CARBONATIS ET SCILLÆ.

Take of—

Carbonate of Ammonia	... 5 grs.
Spirit of Chloroform	... 20 minims.
Tincture of Squil	... 30 „
Infusion of Senega	to 1 oz.

Mix.



(No. 86.)

## MISTURA AMMONII ET CHLOROFORMI.

*(Carminative Mixture.)*

Take of—

Aromatic Spirit of Ammonia	...	...	30 minims.
Spirit of Chloroform	...	20	„
Tincture of Cardamom	...	30	„
Bicarbonate of Soda	...	5	grains.
Peppermint water	...	to 1	ounce.

Mix.

(No. 87.)

## MISTURA AMMONII ET CINCHONÆ.

*(Bark and Ammonia.)*

Take of—

Carbonate of Ammonia	...	5	grains.
Decoction of Cinchona	...	to 1	ounce

Mix.

(No. 88.)

## MISTURA ARSENICALIS COMPOSITA.

*(Asthma Mixture.)*

Take of—

Iodide of Sodium	...	3 grains.
Liquor Arsenicalis	...	2 minims
Ipecacuanha Wine	...	10
Tincture of Belladonna	...	3
Chloroform water	...	to 1 ounce.

(No. 89.)

## MISTURA ASAFÆTIDÆ COMPOSITA

Take of—

Tincture of Asafœtida	...	20 minims.
Ammoniated Tincture of		
Valerian-	...	30   ,,
Spirit of Turpentine	...	5   ,,

Mix. Take in a wine-glass of water every  
2 hours as long as necessary.

(No. 90 )

## MISTURA BÆLÆ ET KURCHI.

Take of—

Liquid extract of Bæl	...	2 drams.
Decoction of Kurchi	...	to 1 ounce.

Mix.

(No. 91.)

## MISTURA BISMUTHI ET MORPHINÆ.

Take of—

Oxycarbonate of Bismuth	10 grains.
Bicarbonate of Soda	... 10 „
Solution of Morphine	
Hydrochloride	... 10 minims.
Compound powder of	
Tragacanth	... 10 grains.
Water	... to 1 ounce.

Mix.

(No. 92.)

## MISTURA HYOSCYAMI SEDATIVA.

*(Mixture for after-pains.)*

Take of—

Bromide of Potash	... 10 grains.
Tincture of Hyosymus	... 1 dram.
Spirit of Chloroform	... mx.
Mucilage of Acacia	... 1 dram.
Water	... to 1 ounce.

Mix.

(No. 93.)

## MISTURA CALCII CHLORIDI.

Take of—

Chloride of Calcium	...	20 grains.
Syrup	...	1 dram.
Water	...	to 1 ounce.

Mix.

(No. 94.)

## MISTURA CASCARÆ SAGRADÆ.

Take of—

Liquid extract of Cascara		
Sagrada	...	40 minims.
Aromatic Spirit of Ammo-		
nia	...	20 "
Liquid extract of Liquorice	30	"
Chloroform water	...	to 1 ounce.

Mix.

(No. 95.)

## MISTURA CHAULMOOGRÆ.

Take of—

Chalmoogra Oil	...	20 minims.
Gum Acacia	...	1 dr.
Cinnamon water	...	to 1 ounce.

Mix.

(No. 96.)

## MISTURA CHLOROFORMI COMPOSITA.

Take of—

Chloroform	...	...	1 minim.
Diluted Hydrocyanic Acid			3 minims.
Solution of Acetate of			
Morphine	...	...	3 „
Diluted Nitric Acid	...	10	„
Glycerin	...	...	1 dr.
Compound Tincture of			
Gentian	...	30	minims.
Water	...	...	to 1 ounce.

Mix.

(No. 97.)

## MISTURA CINCHONÆ ALKALOID.

Take of --

Cinchona Febrifuge	...	10	grains.
Diluted Sulphuric Acid	...	15	minims.
Water	...	...	to 1 ounce.

Dissolve.

(No. 98.)

## MISTURA COLCHICI.

(SCUDMORE'S GOUT MIXTURE)

Take of—

Wine of Colchicum	...	15 minims.
Sulphate of Magnesium	..	1 dr.
Carbonate of Magnesium		10 grs.
Peppermint water	...	to 1 ounce.

Mix.

(No. 99.)

## MISTURA COPAIBÆI COMPOSITA.

Take of—

Copaiba	...	15 minims.
Mucilage of Acacia	...	1 dr.
Cubebs powdered	...	20 grains.
Spirit of Nitrous Ether	...	15 minims.
Camphor water	...	to 1 ounce.

Mix.

(No. 100.)

## MISTURA CRETÆ.

Take of—

Prepared chalk	...	15 grains.
Powdered Gum Acacia	...	15 "
Cassia water	...	to 1 ounce.

Mix.

(No. 101.)

## MISTURA CRETÆ COMPOSITA.

Take of—

Chalk mixture	...	1 ounce.
Tincture of catechu	...	20 minims
Tincture of Kino	...	20 „

Mix.

(No. 102.)

## MISTURA DIGITALIS COMPOSITA.

Take of—

Tincture of Digitalis	...	5 minims.
Carbonate of Ammonia	...	3 grains.
Tincture of Nux Vomica	...	5 minims.
Chloroform water	...	to 1 ounce.

Mix.

(No. 103.)

## MISTURA DYSENTRICA SALENA.

Take of—

Sulphate of Magnesia	...	1 dr.
Sulphate of Soda	...	1 „
Diluted Sulphuric Acid	...	10 minims.
Cinnamon water	...	to $\frac{1}{2}$ ounce.

Mix.

(No. 104.)

## MISTURA ERGOTÆ.

Take of—

Gallic Acid ...	...	5 grains.
Diluted Sulphuric Acid ...	10 minims.	
Liquid Extract of Ergot	20	„
Cassia water ...	...	to 1 ounce.

Mix.

(No. 105.)

## MISTURA ERGOTÆ ET QUININÆ.

*(Mistura Post partum.)*

Take of—

Liquid Extract of Ergot ..	20 minims.	
Tincture of Digitalis ...	5	„
Sulphate of Quinine ...	5 grains.	
Diluted Sulphuric Acid ...	5 minims.	
Water ...	...	to 1 ounce.

Mix.



(No. 106.)

## MISTURA FERRI ET NUCIS VOMICÆ.

Take of—

Tincture of Perchloride of		
Iron	... 10 minims.	
Tincture of Nux Vomica	5	"
Diluted Phosphoric Acid	5	"
Spirits of Chloroform	... 10	"
Water	... to 1 ounce.	

Mix.

(No. 107.)

## MISTURA FERRI ET QUASSIÆ.

Take of—

Tincture of Perchloride of		
Iron	... 15 minims.	
Infusion of Quassia	... to 1 ounce.	

Mix.

(No. 108.)

## MISTURA FERRI ET AMMON CITRATIS.

Take of—

Citrate of Iron and		
Ammonia	... 8 grains.	
Carbonate of Ammonia	... 2	"
Spirits of Chloroform	... 10 minims.	
Water	... to 1 ounce.	

Mix.

(No. 109.)

## MISTURA FERRI ET MAGNESII SULPHATIS.

Take of—

Liq. Arsenici Hydrochlor	2 minims.
Sulphate of Iron	... 2 grains.
Sulphate of Magnesium	30 „
Sulphate of Quinine	.. 3 „
Diluted Sulphuric Acid	... 10 minims.
Water	... to 1 ounce.

Mix.

(No. 110.)

## MISTURA FERRI ET STRYCHNINÆ.

Take of—

Citrate of Iron and	
Quinine	... 5 grains.
Diluted Phosphoric Acid	10 minims.
Tincture of Calumba	... 30 „
Solution of Hydrochloride	
of Strychnine	... 5 „
Infusion of Calumba	... 1 ounce.

Mix.

(No. 111.)

## MISTURA FILICIS.

Take of—

Liquid ext. of male fern	1 dr.
Mucilage of Gum Acacia	1 „
Chloroform water	... to 1½ ounce.

Mix.

(No. 112.)

## MISTURA HYDRARGYRI ET POTASSII IODID.

Take of—

Solution of Perchloride of	
Mercury	... 1 dr.
Iodide of Potassium	... 5 grains.
Compound Tincture of	
Cardamoms	... 20 minims.
Water	... to 1 ounce.

Mix.

(No. 113.)

## MISTURA HYDRARG PERCHLORIDI.

Take of—

Solution of Perchloride of	
Mercury	... 1 dr.
Compound Tincture of	
Cardamoms	... 20 minims.
Water	... to 1 ounce.

Mix.

## MISTURA POTASS. IODID. AMMONIATA.

(No. 114.)

(BRONCHITIS MIXTURE.)

Take of—

Iodide of Potash	...	4 grs.
Bicarbonate of Potash	...	16 „
Chloride of Ammonium	...	8 „
Solution of Hydrochloride of Morphine	...	6 minims.
Chloroform water	...	to 1 oz.

Mix.

(No. 115.)

## MISTURA MORPHINÆ ET ACIDI HYDROCYANICI.

Take of—

Hydrochloride of Morphine	...	$\frac{1}{20}$ gr.
Diluted Hydrocyanic Acid	...	$1\frac{1}{2}$ minims.
Diluted Nitric Acid	...	9 „
Syrup of Squill	...	24 „
Water	...	to 1 oz.

(No. 116.)

## MISTURA OLEI MORRHUÆ.

Take of—

Cod Liver Oil	...	1 dr.
Mucilage of Acacia	...	1 „
Refined Sugar	...	30 grs.
Caraway water	...	to 1 oz.

Mix together.

(No. 117.)

## MISTURA OLEI RICINI.

Take of—

Castor Oil	...	1 dr.
Powdered Gum Acacia	...	20 grs.
Compound Tincture	of	
Cardamoms	...	20 minims.
Peppermint water	...	to $\frac{1}{2}$ oz.

(No. 118 )

## MISTURA PHENAZOIN.

Take of—

Antipyrin	...	10 grs.
Aromatic Spirit	of	
Ammonia	...	20 minims.
Peppermint water	...	to 1 oz.

(No. 119.)

## MISTURA POTASSII BROMIDI.

Take of—

Bromide of Potassium	...	20 grs.
Water	...	to 1 oz.

Dissolve.

(No. 120.)

## MISTURA POTASSII CITRATIS.

Take of—

Bicarbonate of Potash	...	20 grs.
Citric Acid	...	14 "
Water	...	to 1 oz.

Mix.

(No. 121.)

## MISTURA POTASSII CITRATIS EFFERVESCENS.

Take of—

Bicarbonate of Potas-	
sium	... 20 grs.
Water	... to 1 oz.
Dissolve and add of	
Citric Acid	... 14 grs.
Water	... to 1 oz.

To be taken during effervescence.

(No. 122.)

MISTURA HYOSCYAIM ALAKALINA.  
(ALKALINE MIXTURE.)

Take of—

Acetate of Potash	... 15 grs.
Bicarbonate of Potash	... 15 „
Tincture of Henbane	... 20 minims.
Infusion of Buchu	... to 1 oz.

(No. 123.)

MISTURA LOBELIÆ SEDATIVA.

Take of—

Bromide of Potassium	... 15 grs.
Iodide of Potassium	... 10 „
Ethereal Tincture of Lobelia	... 15 minims.
Water	... to 1 oz.

Mix.

(No 124.)

MISTURA QUININÆ SULPHATIS.

Take of—

Sulphate of Quinine	... 5 grs.
Diluted Sulphuric Acid	12 minims.
Water	... to 1 oz.

Dissolve.

(No. 125.)

MISTURA RHEI ET MAGNESII.

(RED MIXTURE.)

Take of—

Powdered Rhubarb root	18	grs.
Carbonate of Magnesia	...	30 ..
Aromatic Spirit	of	
Ammonia	...	30 minims.
Compound Tincture	of	
Cardamoms	...	30 ..
Dill water	...	to 2 oz.

Mix: Dose according to age.

(No. 126.)

MISTURA HEMIDESMI CUM POT. IODIDO.

Take of—

Iodide of Potassium	...	5	grs.
Decoction of Hemides-			
mus	..	...	to 1 oz.

Dissolve.



(No. 127.)

MISTURA SALICYLICA ALKALINA.  
(ACUTE RHEUMATISM MIXTURE.)

Take of—

Salicylate of Soda	... 20 grs
Bicarbonate of Potash	... 30 „
Solution of Hydrochloride of Morphine	... 6 minims.
Camphor water	.. to 1 oz.

(No. 128.)

MISTURA SCILLÆ ET CAMPHOR COMPOSITA.  
(SEDATIVE COUGH MIXTURE.)

Take of—

Compound Tincture of Camphor	... 20 minims.
Ipecacuanha Wine	... 16 „
Tincture of Squill	... 15 „
Mucilage	... 1 dr.
Camphor water	... to 1 oz.

(No. 129.)

MISTURA SENNÆ COMPOSITA.

Take of—

Sulphate of Magnesia	... 2 drs.
Spirit of Peppermint	... 10 minims.
Infusion of Senna	... to 1½ oz.

(No. 130.)

## MISTURA SODII EFFERVESCENS.

Take of---

Bicarbonate of Sodium	...	20 grs.
Water	...	... to 1 oz.
Dissolve and add of		
Tartaric Acid	...	15 grs.
Water	...	... to 1 oz.

(No. 131.)

## MISTURA SODÆ ET GENTINÆ COMPOSITA.

Take of—

Bicarbonate of Sodium	...	15 grs.
Aromatic Spirit of Am-		
monia	...	3 oz.
Compound Infusion of		
Gentian	...	... to 1 oz.

Mix.

(No. 132.)

## MISTURA SODII SALICYLATIS.

Take of—

Salicylate of Sodium	...	20 grs.
Liquorice	...	1 dr.
Water	...	... to 1 oz.

Mix.

(No. 133.)

## MISTURA UROTROPINÆ.

Take of—

Urotropine	...	... 15 grs.
Water	...	... to 1 oz.

Dissolve.

(No. 134.)

## NEBULA ALKALINA.

Take of—

Bicarbonate of Sodium	...	12 grs.
Borax	...	12 „
Carbotic Acid	...	4 „
Glycerin	...	40 minims.
Water	...	to 1 oz.

Mix. (Nasal Spray.)

(No. 135.)

## OLEUM ACIDI CARBOLICI.

Take of—

Liquid Carbolic Acid	...	1 fl. oz.
Cocanut Oil	...	20 oz.

Mix.

(No. 136.)

## PASTA LASSAR.

Take of—

Oxide of Zinc	...	2 drs.
Powered Starch	...	2 „
Salicylic Acid	...	10 grs.
Vaseline	...	to $\frac{1}{2}$ oz.

Mix.

(No. 137.)

## PASTA (UNNA).

Take of—

Prepared Chalk	...	1 oz.
Oxide of Zinc	...	1 „
Linseed Oil	...	1 „
Lime water	...	1 „

Mix.

(No. 138.)

PIGMENTUM CHLORAL ET CAMPHORÆ  
COMPOSITUM.

Take of—

Camphor	...	1 dr.
Chloral Hydras	...	1 „
Menthol	...	1 „
Chloroform	...	1 „

Mix. To apply with a Camel's hair brush.

(No. 139.)

## PILULA ALOIN ET FERRI.

Take of—

Aloin	...	...	$\frac{1}{2}$ gr.
Sulphate of Iron	...	...	$\frac{1}{2}$ "
Extract of Nux Vomica	...	...	$\frac{1}{4}$ "
Extract of Belladonna	...	...	$\frac{1}{8}$ "
Hard Soap	...	...	$\frac{1}{2}$ "

Mix and make one pill.

(No. 140.)

## PILULA ATROPINÆ ET MORPHINÆ.

Take of—

Sulphate of Atropine in solution	...	...	$\frac{1}{100}$ gr.
Hydrochloride of Mor- phine	...	...	$\frac{1}{8}$ gr.
Liquorice Root Powder	...	...	2 grs.
Treacle	...	...	a sufficiency.

Mix and make one pill.

(No. 141.)

## PILULA BELLADONNÆ ET ZINCI.

Take of—

Oxide of Zinc	...	3 grs.
Green ext. of Belladonna	...	$\frac{1}{2}$ gr.

Mix and make one pill.

(No. 142.)

PILULA BUTYL CHLORAL CUM GELSEMIO.

Take of—

Butyl Chloral Hydras	...	3	grs.
Alcoholic ext. of Gelse-			
minum	...	1	gr.

Mix and make one pill.

(No. 143.)

PILULA HYD. SUBCHLORID ET COLOCYNTHIDIS.

(CATHARTIC PILLS.)

Take of—

Calomel	...	3	grs.
Extract of Henbane	...	2	„
Compound ext. of Colo-			
cynth	...	5	„

Mix and make two pills.

(No. 144.)

PILULA HYD. SUBCHLORID ET JALAPÆ.

Take of—

Calomel	...	1	gr.
Resin of Jalap	...	3	grs.
Treacle	...	a	sufficiency.

Mix and make one pill.

(No. 145.)

## PILULA CAMPHORÆ ET HYOSCYAMI.

Take of—

Powdered Camphor	...	2½	grs.
Green ext. of Henbane	...	2½	„

Mix and make one pill.

(No. 146.)

## PILULA CREASOTI.

Take of—

Creasote	...	...	1 minim.
Liquorice Root	Powder		
and Treacle	..		a sufficient quantity.

Mix and make one pill.

(No. 147.)

## PILULA DIGITALIS COMPOSITA.

Take of—

Powdered Digitalis	...	1	gr.
Powdered Squill	..	1	„
Blue pill	...	1	„

Mix and make one pill.

(No 148.)

## PIULLA PLUMBI CUM OPIO.

Take of—

Acetate of Lead	...	2 grs.
Opium	...	1 gr.
Treacle	...	a sufficiency.

Mix and make one pill.

(No. 149.)

## PILULA POTASSII CARBONATIS ET FERRI.

Take of—

Sulphate of Iron	...	$2\frac{1}{2}$ grs.
Carbonate of Potassium	...	$2\frac{1}{2}$ „
Powdered Gum Traga-	...	sufficient
canth.		quantity.

Mix and make one pill.

(No. 150.)

## POTUS IMPERIALIS.

(IMPERIAL DRINK.)

Take of—

Cream of Tartar	...	1 dr.
Juice and rind of 1 lemon		
White Sugar	...	2 drs.
Boiling water	...	to 20 ozs.

Mix.



(No. 151.)

## POTUS ISAFGUL.

Take of —

Isafgul	...	...	2 drs.
Cold water	...	...	20 ozs.

Allow to soak for 12 hours, then  
beat up and strain through  
coarse muslin.

(No 152.)

## PULVIS ACIDI BORICI ET IODOFORMI.

Take of—

Boric Acid, powdered	...	} equal parts
Iodoform, powdered	..	

Mix. (A dusting powder.)

(No. 153.)

## PULVIS AMYLI COMPOSITA.

Take of—

Starch in powder	...	$\frac{1}{2}$ oz.
Oxide of Zinc	...	$\frac{1}{2}$ "
Boric Acid	...	$\frac{1}{2}$ "
Camphor in powder	...	1 dr.

Mix. To use as dusting powder.

(No. 154.)

## CATHETER POWDER.

Take of—

Sulphate of Quinine	...	6 grs.
Dover's Powder	...	12 „
Boric Acid	...	5 „

Mix. (One to be given after  
catheterisation in an ounce of  
Rum.)

(No. 155.)

## PULV. IPECAC ET BISMUTHI.

Take of—

Powdered Ipecacuanha root	...	5 grs.
Bicarbonate of Sodium	...	5 „
Subnitrate of Bismuth	...	5 „

Mix. One powder.

(No. 156.)

## PULVIS PHENAZONI COMPOSITUS.

(HEADACHE POWDER.)

Take of—

Antipyrin	...	10 grs.
Citrate of Caffeine	...	4 „
Hydrobromide of Quinine	...	4 „

Mix.

(No. 157.)

PULV. JALAPÆ CO ET HYDRARG.

Take of—

Compound Jalap powder	40	grs.
Calomel	...	3 „

Mix. One powder.

(No. 158.)

PULVIS RHEI ET SODII.

Take of—

Rhubarb	...	10	grs.
Bicarbonate of Sodium	..	10	„
Powdered Ginger	...	2½	„

Mix. One powder.

(No. 159.)

PULV. SODII ET CALUMBÆ.

(SYN. TRIPLE POWDER.)

Take of—

Bicarbonate of Sodium	.	5	grs.
Subnitrate of Bismuth	...	5	„
Calumba in powder	...	5	„

Mix. One powder.

(No. 160.)

## PULV. SODII ET BISMUTH CARB.

Take of—

Bicarbonate of Sodium	...	5	grs.
Subnitrate of Bismuth	..	5	"
Carbonate of Bismuth	...	5	"

Mix. One powder.

(No. 161.)

## PRICKLY-HEAT POWDER.

Take of—

Starch in powder	...	1	oz.
Oxide of Zinc	...	$\frac{1}{2}$	"
Boric Acid	...	$\frac{1}{2}$	"

Mix.

(No. 162.)

## SUPPOSITORIUM IODOFORMI.

Take of—

Iodoform	...	3	grs.
Spermaceti	...	3	"
Oil of Theobroma	...	to 15	grs.

Mix and make one suppository.

## (No. 163.)

## SUPPOSITORIUM MORPHINÆ No. I.

Take of—

Acetate of Morphine	... 1 gr.
Spermaceti	... 5 grs.
Oil of Theobroma	... to 15 grs.

Mix and make one suppository.

## (No. 164.)

## SUPPOSITORIUM MORPHINÆ No. II.

Take of—

Acetate of Morphine	... $\frac{1}{2}$ gr.
Spermaceti ...	... 2 grs.
Oil of Theobroma	... to 15 grs.

## (No. 165.)

## SUPPOSITORIUM MORPHINÆ No. III.

Take of—

Acetate of Morphine	.. $\frac{1}{2}$ gr.
Spermaceti ...	... 3 grs.
Oil of Theobroma	... to 15 grs.

Mix and make one suppository.

(No. 166.)

UNGUENTUM ACIDI BORICI.

Take of—

Boric Acid	... 8 ozs.
Hard Paraffin	... 8 "
White Wax	... 8 "
Cocoanut Oil	... 2 lbs.

Dissolve and mix.

(No. 167.)

UNGUENTUM ACIDI CHRYSOPHANICI.

Take of—

Chrysophanic Acid	... 20 grs.
Soft Paraffin	... 1 oz.

Mix.

(No. 168.)

UNGUENTUM ACIDI SALICYLICI.

Take of—

Salicylic Acid	... 10 grs.
Soft Paraffin	... 1 oz.

Mix.

(No. 169.)

UNGUENTUM AMMONIÆ ET TEREBINTHINÆ CUM  
HYDRARG. OR UNGUENTUM HYDRARGYRI  
AMMONIATE COMPOSITUM.

*(Ringworm Ointment.)*

Take of—

Chloride of Ammonium	...	$\frac{1}{2}$	oz.
Borax	...	$\frac{1}{2}$	„
Sublimed Sulphur	...	1	„
Oil of Turpentine	...	1	„
Simple Ointment	...	8	ozs.
Ammoniated Mercury	...	80	grs.

Mix.

(No. 170.)

UNGUENTUM ATROPINÆ.

Take of—

Atropinæ (Pure Alkaloid)	2	grs.
Soft Paraffin	...	1 oz.

Heat till dissolved ; stir till cold.

No. 171.)

UNGUENTUM CHAULMOOGRA.

Take of—

Chaulmoogra Oil	...	1 oz.
Simple Ointment	...	3 ozs.

(No. 172.)

## UNGUENTUM COCAINÆ.

Take of—

Cocaine (Pure Alkaloid)	10	grs.
Soft Paraffin	... 10	„

Heat till dissolved ; stir till cold.

(No. 173.)

## UNGUENTUM HYDRARG. NITRATIS DILUTUM.

Take of—

Citrine Ointment	... 1	oz.
Simple Ointment	... 2	ozs.

(No. 174.)

## UNGUENTUM HYDRARG. NITRATIS MITIUS.

Take of—

Citrine Ointment	... 1	d
Simple Ointment	... 7	drs.

Mix.



(No. 175.)

UNGUENTUM HYDRARG. AMMONIAT  
DILUTUM.

Take of—

Ammoniated Mercury in	
powder ...	8 grs.
Simple Ointment ...	1½ oz.

Mix.

(No. 176.)

UNGUENTUM HYDRARG. OXIDI FLAVI.

( $\frac{1}{2}$ —1—2 *per cent.*)

Take of—

Yellow Oxide of Mer-	
cury ...	2—5 or 10
	grs.
Vaseline ...	1 oz.

(No. 177.)

UNGUENTUM ICTHYOL.

Take of—

Icthyol ...	1 dr.
Boric Ointment ...	1 oz.

Mix.

(No. 178.)

UNGUENTUM IDOFORMI.

Take of—

Precipitated Iodoform	...	1 dr.
Soft Paraffin	...	7 drs.

Mix.

(No. 179.)

UNGUENTUM CARBONIS DETERGENS.

CHRONIC ECZEMA OINTMENT.)

Take of—

Solution of Coal Tar	...	1 dr.
Powdered Ammoniated		
Mercury	...	20 grs.
Strong Solution of Sub-		
acetate of Lead	...	$\frac{1}{2}$ dr.
Vaseline	...	to 1 oz.

Mix.

(No. 180.)

UNGUENTUM ERGOTÆ COMPOSITUM.

(FOR BOILS.)

Take of—

Liquid extract of Ergot	...	1 $\frac{1}{2}$ dr.
Carbolic Acid	...	20 grs.
Oxide of Zinc Ointment		to 1 oz.

Mix.

(No. 181.)

## UNGUENTUM RESORCINÆ.

Take of—

Resorcin	...	1 dr.
Oxide of Zinc	...	1 „
Simple Ointment	...	10 drs.

Mix.

(No. 182.)

## UNGUENTUM ZINCI COMPOSITUM.

Take of—

Zinc Oxide Ointment	...	2 ozs.
Carbonate of Bismuth	...	2 drs.
Prepared Calamine	...	2 „
Spirit of Camphor	...	1 dr.

Mix.

(No. 183.)

## UNGUENTUM PICIS COMPOSITUM.

Take of—

Solution of Coal Tar	...	1 dr.
Hemlock Ointment	...	to 1 oz.

Mix.

(No. 184).

VAPOR ACIDI CARBOLICI ET CREASOTI.

Take of—

Carbolic Acid	...	2 drs
Creasote	...	1 dr.
Thymol	...	$\frac{1}{2}$ dr.
Spirit of Chloroform	..	2 drs.
Distilled water	...	15 drs.
Alcohol (90 per cent.)	...	to 4 ozs.

Mix

(No. 185.)

VAPOR BENZOINI.

Take of—

Compound Tincture of		
Benzoin	...	1 dr.
Hot water	...	20 ozs.

To be used with Mudge's Inhaler.

(No. 186.)

VAPOR TINCTURÆ IODI ÆTHEREALIS.

Take of—

Ethereal Tincture of		
Iodine	...	2 drs.
Carbolic Acid	..	2 drs.
Creasote or Thymol	...	1 dr.
Alcohol (90 per cent )	...	to 4 oz

Mix.

(No. 187.)

## VAPOR CREASOTI COMPOSITUS.

Take of—

Creasote	...	...	3 drs.
Menthol	...	...	2 drs,
Thymol	...	...	$\frac{1}{8}$ dr.
Alcohol (90 per cent.)	...	...	to 4 ozs.

Mix. 15 drops to be put in the inhaler and used.

# MEDICAL COLLEGE HOSPITAL PHARMACOPŒIA

## FOR CHILDREN.

*(Doses are for a child twelve months old )*

### Draughts.

#### CHLORAL AND BROMIDE DRAUGHTS.

Take of—

Hydrate of Chloral	.	2 grs.
Bromide of Potassium	...	2 grs.
Tincture of Belladonna	...	2 minims.
Syrup of Orange	..	15 minims.
Water	...	... to 1 dr.

Mix.

### Mixtures.

(No. 1.)

#### AMMONIA AND IPECACUANEÆ MIXTURE.

Take of—

Carbonate of Ammonia	...	1 gr.
Ipecacuanha Wine	...	2 minims.
Gluside	...	... $\frac{1}{3\frac{1}{2}}$ gr.
Cinnamon water	...	... to 1 dr

Mix.

## (No. 2)

## ASTRINGENT BISMUTH MIXTURE.

Take of—

Oxycarbonate of Bismuth	2 grs.
Aromatic chalk powder	... 1 gr.
with Opium.	
Glycerin of Tannic Acid	... 5 minims.
Mucilage Mixture	.. 1 dr.

Mix.

## (No. 3.)

## CARMINATIVE MIXTURE.

Take of—

Oil of Anisi	...	$\frac{1}{2}$ minim.
Compound Tincture of	...	5 minims.
Cardamoms.		
Aromatic Spirit of	...	2 minims.
Ammonia.		
Syrup	.	.. 10 minims.
Water	...	1 dr.

Mix.

## (No. 4.)

## CASTOR OIL MIXTURE.

Take of—

Castor oil	...	10 minims.
Oil of Sweet Almonds	...	10 minims.
Sugar	...	10 grs.
Gum Acacia	...	5 grs.
Cinnamon water	...	to 2 dra.

Mix.

## (No. 5.)

## COMPOUND ALUM MIXTURE.

Take of—

Alum	...	1 gr.
Ipecacuanha Wine	...	2 minims.
Compound Tincture of Camphor.	...	5 minims.
Camphor water	...	30 minims.
Dill water	...	to 1 dr.

Mix.

## (No. 6.)

## COMPOUND BELLADONNA MIXTURE.

Take of—

Tincture of Belladonna	1 minim.
Bicarbonate of Sodium	2 grs.
Syrup	...
Water	...
	30 minims.
	to 1 dr.

Mix.

## (No. 7.)

## COMPOUND IPECACUANHA MIXTURE.

Take of—

Citrate of Potassium	...	2 grs.
Ipecacuanha Wine	...	2 minims.
Syrup of Tolu	...	5 minims.
Compound Tincture of Camphor.	...	4 minims.
Tincture of Squill	...	1 minim.
Water	...	to 1 dr.

Mix.



(No. 11.)

## DIGITALIS MIXTURE.

Take of—

Tincture of Digitalis	...	$\frac{1}{4}$ minim.
Solution of Acetate of Ammonia.		10 minims.
Spirit of Nitrous Ether		5 minims.
Syrup of Tolu	...	10 minims.
Caraway water	...	to 1 dr.

Mix.

(No. 12.)

## LATULANCE MIXTURE.

Take of—

Bicarbonate of Sodium		4 grs.
Tincture of Nux Vomica		$\frac{1}{4}$ minim.
Compound Tincture of Cardamoms.		10 minims.
Syrup	...	15 minims.
Chloroform water	...	30 minims.
Water	...	to 1 dr.

Mix.

(No. 13.)

## CHILDREN'S GASTRIC SEDATIVE MIXTURE.

Take of—

Dilute Hydrocyanic Acid		$\frac{1}{4}$ minim.
Bicarbonate of Sodium	...	3 grs.
Glycerin	...	10 minims.
Caraway water	...	to 1 dr.

Mix.

(No. 14.)

## IRON TONIC MIXTURE.

Take of—

Sulphate of Magnesia	...	4 grs.
Sulphate of Iron	...	$\frac{1}{2}$ gr.
Dilute Sulphuric Acid	...	5 minims.
Syrup of Ginger	...	20 minims.
Cinnamon water	...	to 2 drs.

Mix.

(No. 15.)

## RICKETS MIXTURE.

Take of—

Cod Liver Oil	...	20 minims.
Syrup of Lacto-Phosphate of Lime.	20 minims.	
Lime water	...	20 minims.
Hypophosphite of Sodium	1 gr.	
Mucilage...	...	10 minims.
Oil of Cassia	...	$\frac{1}{4}$ minim.

Mix.

(No 16.)

## RHUBARB AND MAGNESIA MIXTURE.

Take of—

Compound Tincture of Rhubarb.	15 minims.	
Solution of Carbonate of Magnesium.	15 minims.	
Syrup of Ginger	...	15 minims.
Caraway water	..	to 1 dr.

Mix.

(No. 17 )

## SALINE MIXTURE.

Take of—

Sulphate of Magnesia	...	5 grs.
Syrup of Ginger	..	10 minims.
Cinnamon water	..	to 1 dr.

Mix.

---

 Powders.

(No. 1.)

## ASTRINGENT BISMUTH POWDER.

Take of—

Oxycarbonate of Bismuth.	...	2 grs.
Tannic Acid	...	1 gr.
Aromatic chalk.	powder of	to 5 grs.

Mix

## (No. 2.)

## COMPOUND BISMUTH POWDER.

Take of—

Oxycarbonate of Bismuth	2 grs.
Light Carbonate of Magnesia.	2 grs.
Aromatic powder of chalk.	to 5 grs.

Mix.

## (No. 3.)

## COMPOUND SALOL POWDER.

Take of—

Grey Powder	...	$\frac{1}{2}$ gr.
Salol	...	1 gr.
Subnitrate of Bismuth	...	5 grs.
Sugar of Milk	...	5 grs.

Mix.

## (No. 4.)

## COMPOUND SANTONIN POWDER.

Take of—

Calomel	...	1 gr.
Scammony	...	2 grs.
Santonin	...	2 grs.

Mix. Dose—3 to 5 grains.

(No. 5.)

## RHUBARB AND CALOMEL POWDER.

Take of—

Rhubarb	...	...	4 grs.
Calomel	...	...	1 gr.
Powdered Ginger	...	...	1 gr.

Mix.

(No. 6.)

## SCAMMONY AND GREY POWDER.

Take of—

Compound Powder	of	2 grs.
Scammony.		
Mercury with chalk	...	1 gr.

Mix.

(No. 7.)

## SODA AND GREY POWDER.

Take of—

Bicarbonate of Sodium	...	3 grs.
Mercury with chalk	...	1 gr.

Mix. Dose—2 to 4 grains.

(No 8.)

## SODA AND RHUBARB POWDER.

Take of—

Rhubarb Root powdered	2	grs.
Gluside	...	$\frac{1}{4}$ gr.
Ginger	...	$\frac{1}{2}$ gr.
Bicarbonate of Sodium	...	to 5 grs.

Mix.